



INVESTOR IN PEOPLE

## PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

REC'D 28 DEC 2004

WIPO


PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated 10 December 2004

ST AVAILABLE COPY

THE PATENT OFFICE  
D

12 FEB 2004

**Request for grant of a patent**

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



12FEB04 EB72656-1 B14269  
P01/7700 0.00-0403065.6 CHEQUE

The Patent Office

Cardiff Road  
Newport  
South Wales  
NP10 8QQ

1. Your reference:

NEOPRENE BIB WITH MATERIAL FACE

2. Patent application number

(The Patent Office will fill this part in)

0403065.6

3. Full name, address and postcode of the or of each applicant (underline all surnames)

MR. PAUL BROWN,  
10 BISHOPS ROAD,  
CAMBRIDGE,  
CB2 2NH.

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

880719 0001

4. Title of the invention

NEOPRENE BIB WITH MATERIAL FACE

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

MR. PAUL BROWN,  
10 BISHOPS ROAD,  
CAMBRIDGE  
CB2 2NH.

Patents ADP number (if you know it)

6. Priority: Complete this section if you are declaring priority from one or more earlier patent applications, filed in the last 12 months.

Country

Priority application number  
(if you know it)

Date of filing  
(day / month / year)

GB

0325795-3

05/11/03

7. Divisionals, etc: Complete this section only if this application is a divisional application or resulted from an entitlement dispute (see note f)

Number of earlier UK application

Date of filing  
(day / month / year)

8. Is a Patents Form 7/77 (Statement of inventorship and of right to grant of a patent) required in support of this request?

Answer YES if

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body.

Otherwise answer NO (See note d)

NO

Patents Form 1/77.

9. Accompanying documents: A patent application must include a description of the invention. Not counting duplicates, please enter the number of pages of each item accompanying this form:

Continuation sheets of this form

Description 7

Claim(s) 1

Abstract 1

Drawing(s) 2

10. If you are also filing any of the following, state how many against each item.

Priority documents 9 PAGES (1 x DOCUMENT) X

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for a preliminary examination and search (Patents Form 9/77) 1

Request for a substantive examination (Patents Form 10/77) 1

Any other documents (please specify) FS2 (x1) / COPY of 03257953

11. I/We request the grant of a patent on the basis of this application.

Signature(s)

Date 10/02/04.

12. Name, daytime telephone number and e-mail address, if any, of person to contact in the United Kingdom

MR. PAUL BROWN.

01223 840236,

paul.brown@magneticdesign.co.uk

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered YES in part 8, a Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- Part 7 should only be completed when a divisional application is being made under section 15(4), or when an application is being made under section 8(3), 12(6) or 37(4) following an entitlement dispute. By completing part 7 you are requesting that this application takes the same filing date as an earlier UK application. If you want the new application to have the same priority date(s) as the earlier UK application, you should also complete part 6 with the priority details.

## NEOPRENE BIB WITH MATERIAL FACE

The present invention relates to a bib, as used by babies and toddlers, and the material the bib is constructed of and, in particular, bibs with pockets for catching spilt food and drink.

Many different types of baby bibs exist, and are well known. More specifically, many types of designs of bibs with pockets exist but each suffers from the disadvantages described accordingly forthwith with each bib type. It is particularly reusable bibs that are relevant, and that are discussed, in relation to the present invention; the present invention being of the reusable type.

Types of bib include injection moulded plastic bibs which use a relatively rigid plastic material all over for the construction. Plastic moulded bibs are wipe-clean and, being quite rigid, are only suitable for meal times. As the pocket is an integrated part of the moulding it is therefore also quite rigid, with only slight flex possible. Because the pocket is permanently protruding out, permanently wide and generally inflexible it makes it difficult for the child to reach the table and can hinder body movement, particularly the arms when feeding or playing. The plastic is generally quite uncomfortable on the skin around the neck.

Other types of bib include rubber injection moulded bibs, also with permanently formed pockets. Although rubber bibs have more flexibility than plastic ones the permanently formed pocket protruding both forward and width-ways can still be annoying to the child at play and partially hinder arm movement. Rubber bibs are not particularly elastic and so can become mis-shaped after time, particularly if rolled up for storage, causing further annoyance if they do not rest against the chest naturally, but spring outwards. Again, rubber can be uncomfortable to the child's skin around the neck as the grade of rubber is normally quite dense, quite firm and its high friction surface can feel clammy to the touch.

Known rubber bibs include those in patents referenced GB 2334200 A, Jephson Robb and EP 1090560 A3, The Robbo Company Limited.

Others include bibs made up of either solely, or a mixture of, thin flexible materials such as plastic sheet, woven nylon or polyester sheet, terry toweling and cotton sheet. The pockets on these are normally simply a piece of one of the aforementioned materials sewn onto the front of the main bib around the sides and bottom edges, producing a predominantly flat pocket which, while is less obtrusive to the child, results in a limited opening that is unlikely to catch many spillages. Several devices have been patented, although few are on the market, that aim to address this issue, such as springs, clips and insert parts and generally are not elegant solutions with the disadvantages that they can be easily mislaid, broken or add expense. A further problem with these types of bibs is that the thin plastic and woven nylon sheet backings, acting as a waterproof layer, can degrade and split over time, particularly if tumble dried, so these bibs generally have a limited lifetime. Bibs without a waterproof backing, such as just toweling or cotton bibs, suffer from the problem that the child's chest can become wet if spilt drinks or excess dribble soaks through.

Others bibs include those made up of a composite of impervious materials with a piece of the same material bonded flat on the back face by an adhesive around the side and bottom edges whereby when it is folded inside out it forms a more open pocket on the front face due to the width and stiffness of the beading of adhesive, with the benefit that the bib is flat and thin when it folded back flush. This type, however, has the same problem as the plastic bibs in that the adhesive is required to dry relatively stiff to create the desired material formation effect for the pocket, thus creating a rigid structure to the pocket area of the bib that can, again, annoy the child and hinder arm movement. These bibs also require the stiff adhesive bonding line to be quite wide, spanning from the edge of the bib to at least three eighths of an inch (9.5mm) from the edge to the to achieve the formation effect. This width not only exacerbates the stiffness problem but creates an undesirably large upstanding lip inside the pocket. This wide and quite inflexible lip also does not allow the pocket to fold neatly around the corners placing stress on the bond. These types

of bib use a composite of different materials bonded together to form the sheet material. This has the disadvantage of requiring an extra production process to create the lamination, which adds expense, and has the risk of delaminating during use, particularly during washing and tumble drying.

An object of this invention is to provide a bib, and particularly a bib with a pocket, whereby, in a bib with a pocket, the pocket can be stored flat on the back face of the bib, to allow the child full arm movement if, for instance, wearing the bib whilst playing and hence not needing the food catcher, but which can be quickly turned in-side-out to naturally form a narrow front protruding open pocket for snack or meal times, and which uses a soft, flexible, waterproof, long-life and robust material and a joining method that results in the formed bib and pocket being soft and pliable, with flexibility constant throughout its structure, with a small lip for the pocket for increased flexibility, using a material that is gentle on the child's skin and can deflect easily and comfortably if pushed by the child's arms or squashed up against a table edge, yet return to its original formed pocket shape and/or its flat state every time by its elastic properties.

Accordingly, this invention provides a bib, and particularly a bib with a pocket, made up of neoprene sheet covered in a material facing on at least one side, as typically used for making wetsuits, whereby the bib with a pocket is constructed by one small piece of neoprene being sewn flat onto the back face of another larger piece of neoprene, around the bottom and side edges, which can be turned in-side-out to form an open, yet soft and pliable pocket on the opposite face by the fact that the neoprene material maintains a firm yet flexible shape and has a constant bend characteristic with natural elasticity of which the ease of deformation is complimented by the use of sewing with naturally soft thread for the join line, along a line less than three eighths of an inch (9.5mm) from the edge for a conveniently small lip.

The use of neoprene sheet, covered in a material facing on at least one side, to make the bib and bib pocket according to the present invention is what gives the present invention so many advantages over the prior art described bibs.

Neoprene meets the objectives of the present invention well in that it is very flexible, soft to the child's skin, waterproof, elastic (so it always returns to its original shape), readily cleanable, is a long life and robust material and maintains a good form throughout its structure which enables such a well formed in-side-out pocket to be made, as described above.

The use of neoprene is ideal for creating the bib pocket in the open position in that the neoprene bends gently in a generally constantly curved manner, thus creating a smooth flowing form from the child's shoulders to the tip of the pocket. This smooth pocket formation naturally and automatically narrows the width of the bib near the front pocket area and thus creates more space for the child's arms to move each side of the bib. Even if the child squashes the formed bib pocket sideways with their arm, or pushes it forward up against the table edge, the material will gently and comfortably deflect and spring back into its original shape.

The use of sewing and the small size of the lip of the join area, achievable by the fact that the distance from the sew-line to the edge is less than three eighths of an inch (9.5mm), also means the bib has good flexibility through the sewn join line area as well as in the main neoprene areas.

The flexibility, elastic and stretchy characteristic of the neoprene combined with the flexible join is what allows the bib and pocket to naturally create and maintain their form so well. This characteristic also allows the whole bib to readily return to its flat state when folded back by the fact that there is little stress on any parts of the bib material or the joint area.

In an alternative embodiment of the aforementioned present invention the sew line could be any distance from the edge, to suit the desired flexibility of construction. It could also be more than one sew line.

Preferably the shape of the bottom of the bib is to be rounded to create a more flowing form from top to bottom when in the open mode. The avoidance of hard corners will also allow easier cleaning and less stress on the joint area when being folded in and out.

Neoprene also offers the benefits that it can be wiped clean relatively easily and is naturally waterproof so is ideal to prevent moisture reaching the child's chest. Neoprene is also ideal as a liquid spill catcher pocket material. Simply sewing the pocket part onto the main neoprene part is enough to make the pocket watertight, so no glue is needed, although glue could added if required.

Neoprene is also ideal as it is not a composite of laminations, although normally it has a woven material facing on one or both faces for a soft feel, and is strong for long term use and particularly robust when washed and dried in washing and tumble drier machines. The material facing also has the advantage that it allows the neoprene rubber to be a softer grade of rubber than prior art described plain rubber bibs and thus the softer rubber and material facing increases overall comfort for the child in terms of the bib having better flexibility, better elasticity, a lower weight and more friendly feel on the skin. The material facing on the neoprene is particularly important in the purpose of baby bibs in terms of safety as it adds significant strength to the soft rubber neoprene and, crucially, prevents the child biting off chunks of rubber that could otherwise choke the child. The material facing is preferably woven nylon, although it may be any other suitable material, such as woven polyester, and may be any other suitable material that is woven or non-woven.

Preferably the edges of the neoprene would be finished with an edging strip, typically of cotton sheet bias binding, for protection, increased softness on the child's skin and to improve the appearance.

Preferably the main and larger piece of neoprene would be cut to a shape that includes strips that allow the bib to be positioned over the shoulders and around the neck and, accordingly, would include fixing devices, such as snap-fixings, to ensure the bib is



connected around the child's neck securely. This is preferable to a straight through hole to put the child's head through which has the problem that it does not adjust to different head crown diameters, which could potentially cause distress to the child when putting on or taking off that type of bib.

Further details may be added to the bib such as absorbent material sewn to the front face to absorb dribble and drinks spillages.

Other embodiments of the present invention are possible and include using a material for the pocket part other than neoprene, such as woven nylon. Another embodiment could include sewing the pocket onto the main neoprene part in a permanently formed state by the fact that the width of the pocket part is wider than the base material part until sewn together, causing it to protrude outwards. In this latter version the pocket part could be held flat, when not needed, by fixings between the two parts and pulled outwards when needed, or folding back on itself to become relatively flat.

Further more, another embodiment would be to use the advantages of neoprene, i.e. soft and comfortable around the neck, flexible, easily cleanable, robust and waterproof, but without the pocket feature. This neoprene bib without a pocket would be considered for a lower cost version of the present invention.

It should be noted that the description of 'front' and 'back' faces of the bib are relative as it may be preferable for the pocket to be in the open position on a side of the bib that is not considered the front, i.e. the front face may be considered the one with branding or with absorbent toweling, yet it may be desirable to have the open pocket on the opposite face, normally called the back, and simply turn the bib over so that the open pocket is now on the front. This present invention relates to both scenarios.

Preferred embodiments of the invention will now be described with reference to the accompanying drawings in which:

FIGURE 1 shows the rear view of the bib with the pocket in the flat position,

FIGURE 2 shows a side view of the bib with the pocket in the flat position,

FIGURE 3 shows the front view of the bib with the pocket folded in-side-out to form an open pocket.

FIGURE 4 shows a side view of the bib with the pocket folded in-side-out to form an open pocket

As shown in Figure 1, the bib comprises of a main part of neoprene 1 with neck loop shape 6 leading to a fastening device 4, a smaller piece of neoprene 2 to create the pocket, an edging material 3 and stitching 5 to secure the edging material 3 around all edges of the bib material and also to fix the pocket material 2 to the main part 1 around the bottom and side edges. The top edge of part 2 remains unattached to part 1. The stitching 5 is preferably a single row of stitched thread for maximum flexibility.

A bib according to the present invention but without a pocket would appear similar to the drawing of Figure 1 but would not include the pocket material 2 or the pocket's top edging material 3.

Figure 2 is a side view of the bib showing the fastening device 4 and with the pocket material 2 in the flat position.

Figure 3 shows a front view of the bib with the pocket 2 formed into the open mode by folding in-side-out. Note how this view shows how the bib becomes conveniently narrower automatically as the pocket is formed, which gives the child more sideways arm space for feeding themselves or reaching out.

Figure 4 is a side view illustrating the open pocket mode clearly. This view shows how smoothly the main material 1 naturally flows into the pocket material 2.

## CLAIMS

1. A baby bib comprising of the material neoprene with at least one side of the neoprene being covered in a material facing.
2. A baby bib as claimed in Claim 1 whereby the neoprene material has material facing on both sides.
3. A baby bib as claimed in Claim 1 or Claim 2 whereby the material facing is nylon.
4. A baby bib as claimed in Claim 1 or Claim 2 whereby the material facing is any other material other than nylon.
5. A baby bib as claimed in any preceding claim with a pocket whereby a small piece of neoprene is attached to a larger piece of neoprene by sewing, mainly along the bottom edges so that, in one mode, the two pieces of neoprene are flat against each other but, by turning the pieces in-side-out, it forms a naturally extended and open pocket on the other side.
6. A baby bib as claimed in Claim 1, 2, 3 or 4 with a pocket whereby a small piece of neoprene is attached to a larger piece of neoprene by sewing, mainly along the bottom edges, whereby the sew line is less than three eighths of an inch (9.5mm) from the edges of the bib, so that, in one mode, the two pieces of material are flat against each other but, by turning the pieces in-side-out, it forms a naturally extended and open pocket on the other side.
7. A baby bib as claimed in any preceding claim but which has a pocket made of a material other than neoprene.
8. A baby bib as claimed in any preceding claim which has a pocket permanently formed in the open position on one face by the fact that the width of the pocket part is wider than the base material until sewn on causing it to protrude outwards.
9. A bib as claimed in Claim 1, 2, 3 or 4 which specifically does not have a pocket.
10. A bib as claimed in any proceeding claims where an absorbent material or several materials are sewn to the front face.
11. A bib substantially as herein described above and illustrated in the accompanying drawings.

**ABSTRACT****NEOPRENE BIB WITH MATERIAL FACE**

A bib, and particularly a bib with a pocket, comprising of neoprene sheet with material on at least one face.

(Figure 3 to accompany abstract)




FIG. 1




FIG. 2




FIG. 3




FIG. 4

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**